# **Procedure Instructions**

# Aim to arrive 30 minutes prior to your scheduled procedure time.

Date: \_\_\_\_\_ Time: \_\_\_\_\_

## **Blue building** = location

**Dot with P** = complimentary underground garage parking. After parking, take the elevators to the first floor.

#### PRIOR TO PROCEDURE DAY

• Blood thinning medications: Notify your doctor if you are taking any blood-thinning medications such as: Aspirin, Lovenox, Plavix (Clopidogrel), Eliquis, Coumadin (Warfarin), Excedrin Migraine, Heparin, BC Powder. This is very important if you are having injections in the neck. Blood thinning medications will need to be held at least 5 days prior to the injection for certain procedures.



Dr. Peter Yeh

- If you are getting a cervical injection, hold any anti-inflammatories (NSAIDs) for 5 days prior to the procedure day. This includes Aleve, Advil, ibuprofen, Motrin, diclofenac, meloxicam, Celebrex, and naproxen etc.
- Allergies: Notify your nurse or doctor immediately if you have any allergies to steroids, betadine/chloraprep, anesthetic (such as lidocaine), IV contrast, iodine or shellfish.
  - Your physician may prescribe pre-procedure medications for you to take in some cases.
- **Pregnancy:** If pregnant, you need prior approval from your OB/GYN before getting any procedures.
- **Vaccination:** For maximal efficacy, vaccinations should be scheduled at least 2 weeks after an epidural steroid injection, or at least 1 week prior to an epidural steroid injection. Call if you have any questions.
- Pacemaker: Contact us if you have a pacemaker and are scheduled for a radiofrequency ablation.

#### DAY OF THE PROCEDURE

- **Clothing:** Wear loose and comfortable clothing.
- **Medications:** On procedure day, continue all your routine medications such as blood pressure, heart, breathing, seizure, thyroid and/or migraine headache medications.
- **Meals:** If you are **diabetic**, limit eating foods that can increase your glucose levels the day prior to the procedure, and the day of the procedure. Unless otherwise stated, **eat breakfast and stay hydrated**.
- Arrival: Please plan to arrive **30 minutes prior** to your scheduled procedure.
- **Transportation**: If you are taking any sedating medications (such as valium) for your procedure, you need a ride.
- **Illness, Infection, Antibiotic Therapy:** If you have a fever (greater than or equal to 100.40 F), catch a cold, develop bladder, sinus, or other infections, or start antibiotic therapy for any reason, call us. Typically, spinal injections are postponed until these important medical issues are resolved.
- **Diabetic Patients:** Blood glucometer readings greater than 250 the day of the procedure will result in your procedure being rescheduled **(for procedures with steroids)**.
- We recommend that you have a family member or friend stay with you on this day at home. This is especially important for older patients whose ability to provide self-care or mobility is impaired.

### If you have any questions, please call 703-214-4628 or message your provider through MyChart.

If you have any problems or questions, please call your doctor's office (8am-5pm). Answering service for after hours. 1920 BALLENGER AVE, SUITE 107 ALEXANDRIA, VA 22314 P 703.214.4628 | P 703.810.5209 ORTHOVIRGINIA.COM